

		How data* from all states looks right now				How data* from all states looked at the same time last year			
<b>NFR-CRS Data Quality Priority Variables</b> Variables highlighted in <b>PINK</b> are designated CORE variables		2017				2016			
		Missing		Unknown		Missing		Unknown	
		N	%	N	%	N	%	N	%
		N = 12963				N = 13331			
<b>A4</b>	Child's age	15	0.1	6	0.0	34	0.3	1	0.0
<b>A5</b>	Child's race	498	3.8	221	1.7	783	5.9	321	2.4
<b>A6</b>	Hispanic or Latino origin	795	6.1	483	3.7	1310	9.8	595	4.5
<b>A7</b>	Child's sex	105	0.8	17	0.1	371	2.8	22	0.2
<b>A13</b>	Child had disability or chronic illness	3242	25.0	1186	9.1	4111	30.8	1414	10.6
<b>A15</b>	Child's health insurance	3092	23.9	4360	33.6	3644	27.3	4065	30.5
<b>A22</b>	Child had history of maltreatment as victim	4308	33.2	1178	9.1	5450	40.9	1111	8.3
<b>A23</b>	Was there an open CPS case with child at time of death	3003	23.2	1051	8.1	3883	29.1	1156	8.7
Non-infant, ever left the hospital		N = 6258							
<b>A29</b>	Child's mental health: Had received services	1738	27.8	1476	23.6	2266	17.0	1425	10.7
<b>A29</b>	Child's mental health: Was receiving services	1831	29.3	1499	24.0	2342	17.6	1455	10.9
<b>A29</b>	Child's mental health: On meds for MH issue	1851	29.6	1526	24.4	2354	17.7	1513	11.3
<b>A29</b>	Child's mental health: Issues prevented rev srves	1895	30.3	1668	26.7	2396	18.0	1638	12.3
Infants		N = 6701							
<b>A35</b>	Gestational age	789	11.8	447	6.7	952	13.1	465	6.4
<b>A36</b>	Birth weight	950	14.2	778	11.6	1065	14.7	707	9.8
<b>A37</b>	Multiple birth	975	14.6	194	2.9	1299	17.9	257	3.5
<b>A41</b>	Prenatal care provided during pregnancy of deceased infant	1157	17.3	839	12.5	1523	21.0	920	12.7
<b>A53</b>	Did mother smoke at any time during pregnancy	1387	20.7	1262	18.8	1741	24.0	1195	16.5
All		N = 12963							
<b>C1</b>	Primary caregiver (CG) 1 (relationship to decedent)	2335	18.0	188	1.5	2999	22.5	171	1.3
<b>C2</b>	CG1 age in years	2494	19.2	1856	14.3	3405	25.5	1788	13.4
<b>C3</b>	CG1 sex	2482	19.1	291	2.2	3198	24.0	247	1.9
Child ever left hospital		N = 12019							
<b>D1</b>	Did child have supervision at time of incident	2357	19.6	385	3.2	3176	23.8	401	3.0
Child supervised not equal "no" and ever left hospital		N = 9574							
<b>D4</b>	Person responsible for supervision, relationship to decedent	2709	28.3	55	0.6	3596	32.3	46	0.4

		How data* from all states looks right now				How data* from all states looked at the same time last year			
<b>NFR-CRS Data Quality Priority Variables</b> Variables highlighted in <b>PINK</b> are designated CORE variables		<b>2017</b>				<b>2016</b>			
		Missing		Unknown		Missing		Unknown	
		N	%	N	%	N	%	N	%
	Child ever left hospital and not hospital or insitutional staff	N = 8020							
<b>D5</b>	Supervisor age in years	2753	34.3	941	11.7	6044	54.3	983	8.8
<b>D6</b>	Supervisor sex	2751	34.3	103	1.3	5941	53.4	153	1.4
	Child ever left hospital and not hospital or insitutional staff (v5)	N = 2925							
<b>D15</b>	At time of incident was supervisor asleep (version 5 only)	996	34.1	269	9.2	N/A	N/A	N/A	N/A
	Child ever left hospital and not hospital or insitutional staff	N = 8020							
<b>D16</b>	Was supervisor impaired at time of incident	2702	33.7	1336	16.7	3948	35.5	1323	11.9
	Child ever left hospital	N = 12019							
<b>E3</b>	Place of incident	1978	16.5	155	1.3	2759	20.7	199	1.5
<b>E11</b>	Had child used drugs or alcohol	2888	24.0	778	6.5	3846	28.9	782	5.9
	All	N = 12963							
<b>F2</b>	Death referred to ME/C	2000	15.4	171	1.3	2997	22.5	144	1.1
<b>F4</b>	Autopsy Performed	1041	8.0	320	2.5	1863	14.0	297	2.2
<b>F12</b>	Was a death scene investigation performed	3717	28.7	805	6.2	4522	33.9	605	4.5
<b>F14</b>	CPS record check conducted	3471	26.8	860	6.6	4385	32.9	963	7.2
<b>F16</b>	CPS action taken	3380	26.1	1093	8.4	4270	32.0	957	7.2
<b>G5</b>	Official manner of death from death certificate	252	1.9	61	0.5	661	5.0	59	0.4
<b>G6</b>	Primary cause of death	1180	9.1	297	2.3	1517	11.4	257	1.9
<b>H1</b>	<b>Motor Vehicle and Other Transport</b>	N = 1311							
<b>H1a</b>	Child's vehicle type	145	11.1	31	2.4	150	12.0	29	2.3
<b>H1b</b>	Position of child	108	8.2	27	2.1	117	9.4	21	1.7
<b>H1c</b>	Causes of incident	198	15.1	80	6.1	192	15.4	80	6.4
	Motor Vehicle and Other Transport - child as driver	N = 304							
<b>H1g</b>	Driver age and circumstances (child as driver)	55	18.1	0	0.0	47	16.9	0	0.0
	Motor Vehicle and Other Transport	N = 1311							
<b>H1i</b>	Protective measures for child (any check in column 1-5)	291	22.2	383	29.2	237	19.0	351	28.1

		How data* from all states looks right now				How data* from all states looked at the same time last year			
<b>NFR-CRS Data Quality Priority Variables</b> Variables highlighted in <b>PINK</b> are designated CORE variables		<b>2017</b>				<b>2016</b>			
		Missing		Unknown		Missing		Unknown	
		N	%	N	%	N	%	N	%
<b>H2</b>	<b>Fire, Burn or Electrocutation</b>	N = 186							
<b>H2a</b>	(F/B/E) Source	14	7.5	52	28.0	18	9.0	61	30.5
<b>H2b</b>	Type of incident	11	5.9	0	0.0	15	7.5	0	0.0
	Fire, Burn or Electrocutation - number of fire deaths	N = 154							
<b>H2p</b>	Smoke detectors present (fire deaths only)	10	6.5	59	38.3	11	6.5	64	38.1
	Fire, Burn or Electrocutation - number of electrocution deaths	N = 10							
<b>H2s</b>	Electrocution cause	0	0.0	1	10.0	0	0.0	0	0.0
<b>H3</b>	<b>Drowning</b>	N = 543							
<b>H3d</b>	Drowning location	38	7.0	0	0.0	40	8.1	1	0.2
	Drowning location = Open water	N = 191							
<b>H3e</b>	Open water place	0	0.0	0	0.0	0	0.0	0	0.0
	Drowning location = Pool	N = 227							
<b>H3i</b>	Pool type	9	4.0	16	7.0	10	4.4	8	3.5
	Drowning location = Open water or pool	N = 418							
<b>H3m</b>	Floatation device used	36	8.6	30	7.2	28	7.3	23	6.0
	Drowning location = various locations	N = 443							
<b>H3n</b>	What barriers existed	31	7.0	74	16.7	23	5.7	56	13.9
<b>H3t</b>	Local ordinance	68	15.3	169	38.1	48	11.9	142	35.1
<b>H3v</b>	Child able to swim	45	10.2	83	18.7	42	10.4	66	16.3
	Drowning location = all locations except toilet	N = 543							
<b>H3x</b>	Warning sign posted	111	20.4	134	24.7	88	17.8	140	28.3
<b>H4</b>	<b>Unintentional Asphyxia</b>	N = 1041							
<b>H4a</b>	Type of event	38	3.7	5	0.5	36	2.8	7	0.5
	Type of event = suffocation	N = 879							
<b>H4b</b>	Action causing suffocation	1	0.1	1	0.1	7	0.8	4	0.5
	Type of event = strangulation	N = 54							
<b>H4c</b>	Object causing strangulation event	1	1.9	2	3.7	9	2.7	15	4.5
	Type of event = choking	N = 40							

		How data* from all states looks right now				How data* from all states looked at the same time last year			
<b>NFR-CRS Data Quality Priority Variables</b> Variables highlighted in <b>PINK</b> are designated CORE variables		<b>2017</b>				<b>2016</b>			
		Missing		Unknown		Missing		Unknown	
		N	%	N	%	N	%	N	%
<b>H4d</b>	Object causing choking event	0	0.0	1	2.5	0	0.0	0	0.0
	Type of event = all	N = 1041							
<b>H4f</b>	Choking game	60	5.8	6	0.6	86	6.7	34	2.7
<b>H5</b>	<b>Assault, Weapon, Including Person's Body Part</b>	N = 1618							
<b>H5a</b>	Type of weapon	98	6.1	38	2.3	55	5.3	18	1.7
	Type of weapon = gun	N = 917							
<b>H5b</b>	Firearm type	115	12.5	114	12.4	66	8.8	59	7.8
	Type of weapon = all	N = 1618							
<b>H5o</b>	Persons handling weapon	222	13.7	141	8.7	147	14.1	128	12.3
<b>H5q</b>	Use of weapon	215	13.3	143	8.8	134	12.8	132	12.6
<b>H6</b>	<b>Fall or Crush</b>	N = 77							
<b>H6a</b>	Type (fall/crush)	1	1.3	0	0.0	2	3.3	0	0.0
<b>H7</b>	<b>Poisoning, Overdose or Acute Intoxication</b>	N = 300							
<b>H7a</b>	Type of substance	17	5.7	3	1.0	27	10.3	3	1.1
<b>H7f</b>	Incident result of	25	8.3	25	8.3	30	11.4	26	9.9
<b>H8</b>	<b>Medical condition</b>	N = 4789							
<b>H8b</b>	Death expected as a result of this condition	937	19.6	935	19.5	1460	26.6	1148	20.9
<b>H8c</b>	Receiving care for condition	990	20.7	308	6.4	1509	27.5	448	8.2
<b>I2</b>	<b>Death Related to Sleeping or Sleeping Environment</b>	N = 8314							
<b>I2</b>	Was death related to sleeping/sleep environ (< 5yo)	1621	19.5	214	2.6	2273	25.6	169	1.9
	Sleep-Related Death	N = 2225							
<b>I2a</b>	Incident sleep place (Sleep env=yes)	58	2.6	35	1.6	35	1.6	22	1.0
<b>I2b</b>	Put to sleep on	107	4.8	280	12.6	80	3.8	280	13.2
<b>I2c</b>	Child found	109	4.9	275	12.4	81	3.8	271	12.8
<b>I2d</b>	Usual sleep place	162	7.3	561	25.2	118	5.6	562	26.5
<b>I2e</b>	Usual sleep position	198	8.9	688	30.9	132	6.2	696	32.8
<b>I2f</b>	Bassinet/port-a-crib in home	155	7.0	469	21.1	126	5.9	453	21.3
<b>I2h</b>	Pacifier	178	8.0	550	24.7	147	6.9	579	27.3

		How data* from all states looks right now				How data* from all states looked at the same time last year			
<b>NFR-CRS Data Quality Priority Variables</b> Variables highlighted in <b>PINK</b> are designated CORE variables		<b>2017</b>				<b>2016</b>			
		Missing		Unknown		Missing		Unknown	
		N	%	N	%	N	%	N	%
<b>I2i</b>	Swaddled	171	7.7	427	19.2	132	6.2	425	20.0
<b>I2k</b>	Child exposed to 2nd hand smoke	196	8.8	629	28.3	144	6.8	593	27.9
<b>I2l</b>	Child face when found	157	7.1	433	19.5	117	5.5	468	22.1
<b>I2o</b>	Objects in the child's sleep environment	104	4.7	47	2.1	94	4.4	29	1.4
<b>I2p</b>	CG fell asleep while feeding child	139	6.2	120	5.4	113	5.3	112	5.3
<b>I2q</b>	Child sleeping in same room with CG	125	5.6	111	5.0	106	5.0	90	4.2
<b>I2r</b>	Child sleeping on same surface with person(s) or animal(s)	117	5.3	63	2.8	92	4.3	47	2.2
<b>I5</b>	<b>Child Abuse, Neglect, Poor Supervision and Exposure to Hazards</b>	N = 12840							
<b>I5a</b>	Did abuse, neglect, poor supervision, expos to hazards cause/contribute to death	3265	0.0	1011	7.9	3181	23.9	1128	8.5
	CAN section marked Yes	N = 2871							
<b>I5a</b>	What act caused/contributed (yes/probable)	13	0.5	0	0.0	73	1.8	36	0.9
	CAN section marked Child Abuse	N = 351							
<b>I5b</b>	Child abuse type	9	2.6	16	4.6	2	0.6	2	0.6
	Type of abuse = Abusive head trauma	N = 173							
<b>I5d</b>	Was child shaken	14	8.1	75	43.4	12	8.6	60	42.9
	CAN section marked Child Neglect	N = 406							
<b>I5f</b>	Child neglect, type	6	1.5	0	0.0	7	1.6	5	1.1
<b>I6</b>	<b>Manner = Suicide</b>	N = 1024							
<b>I6a</b>	For Suicide: Note left	303	29.6	64	6.3	38	6.7	39	6.9
<b>I6a</b>	For Suicide: Child talked about suicide	308	30.1	128	12.5	42	7.4	93	16.5
<b>I6a</b>	For Suicide: Prior suicide threats made	313	30.6	153	14.9	46	8.2	113	20.0
<b>I6a</b>	For Suicide: Prior attempts made	316	30.9	186	18.2	47	8.3	126	22.3
<b>I6a</b>	For Suicide: Suicide completely unexpected	317	31.0	160	15.6	50	8.9	92	16.3
<b>I6a</b>	For Suicide: Child had history of running away	327	31.9	197	19.2	58	10.3	123	21.8
<b>I6a</b>	For Suicide: Child had history of self mutilation	321	31.3	190	18.6	49	8.7	101	17.9
<b>I6a</b>	For Suicide: Family history of suicide	329	32.1	365	35.6	55	9.8	233	41.3

		How data* from all states looks right now				How data* from all states looked at the same time last year			
<b>NFR-CRS Data Quality Priority Variables</b> Variables highlighted in <b>PINK</b> are designated CORE variables		<b>2017</b>				<b>2016</b>			
		Missing		Unknown		Missing		Unknown	
		N	%	N	%	N	%	N	%
<b>I6a</b>	For Suicide: Murder - suicide pact	322	31.4	68	6.6	53	9.4	39	6.9
<b>I6a</b>	For Suicide: Suicide pact	324	31.6	86	8.4	52	9.2	53	9.4
<b>I6a</b>	For Suicide: Suicide cluster	324	31.6	73	7.1	55	9.8	50	8.9
<b>I6b</b>	For Suicide: hx of personal crises? Ck all that apply	288	28.1	81	7.9	36	6.4	47	8.3
<b>J</b>	<b>Person Responsible</b>	N = 12963							
<b>J1</b>	Did a person cause or contribute to child's death	3191	24.6	1091	8.4				
I6	Yes, person was responsible	N = 3289							
<b>J5</b>	Person responsible: Relationship to child	506	15.4	25	0.8	796	19.3	109	2.6
<b>J6</b>	Person responsible: Age	615	18.7	316	9.6	1411	34.2	38	0.9
<b>J7</b>	Person responsible: Sex	514	15.6	30	0.9	830	20.1	153	3.7
	<b>All</b>	N = 12963							
<b>L7</b>	Could death have been prevented	3399	26.2			4034	30.3		
<b>M3</b>	Is CDR complete	2692	20.8			3693	27.7		
<b>P</b>	Data entry completed for this case	2889	22.3			4257	31.9		
<b>P</b>	Data Quality Assurance completed by state	10078	77.7			9890	74.2		

\* Data download date = 02 July 2019; deaths only (casetype=1)

Reflects Version 5.0 question numbering/order